Technical Specifications

Related Products

Observation Unit (OU)


	Model	UV Colour	UV Colour Portable	UV2 Monochrome	UV1		
Camera	Sensor Type	Colour Linear CCD	Colour Linear CCD	Monochrome Linear CCD	Colour CCD		
	Pixel Size	10 μm x 10 μm with a 10 μm pitch	10 μm x 10 μm with a 10 μm pitch	10 μm x 10 μm with a 10 μm pitch	470 lines		
	Resolution	4096 pixels	4096 pixels	1024 pixels	470 TVL		
	Power Consumption	800 mA	800 mA	800 mA	200 mA		
	Lens	12.5 mm	12.5 mm	12.5 mm	2.9 mm		
	Field of View	100°	100°	100°	79°		
Lights	Туре	LED	LED	LED	Halogen		
Dimension .	Observation Unit	250 x 250 x 72 mm	846 x 820 x 83 mm	250 x 250 x 72 mm	250 x 550 x 75 mm		
	Lighting Unit	900 x 50 x 45 mm	Built-in	900 x 50 x 45 mm	Built-in		
Material		Stainless Steel	Stainless Steel	Stainless Steel	Mild Steel		
Environmental		IP65	IP65	IP65	IP65		
Power Requirements		12VDC	12VDC	12VDC	12VDC		
Type of Installation	Embedded	\checkmark	\checkmark	✓	-		
	Surfaced-Mount	✓	\checkmark	✓	\checkmark		
	Sensor Type	Line Scan Magnetic Sensor					
	Sensitivity	0.4G (Gauss) or 0.04mT (Tesla)					
Add-on	Bandwidth	0-90Hz					
feature:	Sensor Per Board	8x					
UVMS	Positive / Negative Linearity	±1.5%					
	Symmetry	±1.5%					
	Sensitivity Drift	±2%					

Receiving Station (RS)

Computer	Processor	Intel [®] Core™ i3 Processor	Intel [®] Core™ i3 Processor	Intel [®] Core™ i3 Processor	Intel [®] Core™ i3 Processor
	Memory	1GB	1GB	1GB	1GB
	Hard Drive	500GB	500GB	500GB	1 TB
	Monitor	19"	15"	19"	19"
	Drive	DVD +RW	DVD +RW	DVD +RW	DVD +RW
	Power Requirement	110-240V, < 1.5Amps	110-240V, < 1.5Amps	110-240V, < 1.5Amps	110-240V, < 1.5Amps

Product specifications may be subject to change without prior notice.

– indicates Not Applicable.







TeleRadio Engineering Pte Ltd
No. 18 Boon Lay Way, #08-108
TradeHub 21, Singapore 609966
Tel: +65 6779 2271 / Fax: +65 6779 2217
Email: sales@uvss.com

Authorised distributor:

TeleRadio

UV55

Under Vehicle Surveillance System

Advanced undercarriage inspection system for explosives, weapons & contrabands



www.uvss.com

Under Vehicle Surveillance System (UVSS) is specially designed to provide a fast and effective means for security professionals to scrutinise the undercarriage of a vehicle without causing great disturbances to the traffic flow. It can be deployed at crucial entry points of buildings or critical infrastructures.

UV system consists of Observation Unit (OU) that screens the undercarriage of the vehicle and Receiving Station (RS) that allows viewing, recording, storing and managing images effrotlessly.

UV® Colour

UV Colour provides

coloured image for easy inspection of

a high-quality

foreign object

vehicle.

underneath the

Technology: Linear Image Processing

Observation Unit (Embedded)

GUI

Receiving Station

Observation Unit can also be installed as: Surfaced-Mount

Observation Unit (Portable Set)

UV2 Monochrome

Technology: Linear Image Processing

UV2 Monochrome provides a high-quality black-and-white image of the undercarriage of a moving vehicle.



Observation Unit can also be installed as: Embedded

UV® Colour Portable

Technology: Linear Image Processing

Receiving Station

UV Colour Portable consists of a portable observation unit and a laptop receiving station. It is lightweight and designed for quick deployment of less than 15 minutes.


UV1

Technology: Analogue-based Video Processing

UV1 is a basic 2-cctv camera capturing system that captures real-time video format of the vehicle's undercarriage.



UVSS Screening



Application

Law enforcement agencies, Ministry of Interior, Ministry of Defence, custom & border checkpoints, parliament houses, palaces, embassies, petroleum plants, banks, hotels, etc.

Highlights & Features

- Scan vehicle travelling up to 60km/hr
- Zoom image up to 16x
- Adjust contrast and brightness of the image
- Retrieve historical data of the vehicle
- Identify vehicle using licence plate number
- Record vehicle's date & time of entry

Optional Features

- Vehicle Licence Plate Recognition
- General Scene Camera for vehicle outlook monitoring
- Driver's Facial Capturing Feature

• Remote Access Feature

Save to External Hard Disk

Vehicle search feature

• 3-second fast inspection time

Security password protection

• Vehicle entry database & reporting feature

 Integrate with access control, vehicle barriers, etc.

Awards & Certifications





*Gold prize winner of Merlion Award – Safety & Security Asia

